

Human Missions to Mars

Enabling Technologies for Exploring the Red Planet

Donald Rapp

Table of Contents

1. Why Explore Mars?

- 1.1 Robotic Exploration - The Establishment's View**
- 1.2 The curmudgeons' view on the search for life on Mars**
- 1.3 Why Send Humans to Mars? - The Enthusiasts' View**
- 1.4 Sending humans to Mars - the skeptic's view**

2. Planning Space Campaigns and Missions

- 2.1 Campaigns**
- 2.2 Planning Space Missions**
- 2.3 Architectures**
- 2.4 A mission as a sequence of steps**
- 2.5 What's at the Destination?**
- 2.6 What's in Low Earth Orbit**
- 2.7 What's on the launch pad?**
- 2.8 IMLEO requirements for space missions**

3. Getting There and Back

3.1 Propulsion Systems

- 3.1.1 Propellant Requirements for Space Transits*
- 3.1.2 The Rocket Equation*
- 3.1.3 Dry Mass of Rockets*

3.2 Trajectory Analysis

- 3.2.1 Rocket Science 101*
 - 3.2.1.1 Constants of Motion
 - 3.2.1.2 Energy of an Orbit
 - 3.2.1.3 Measured values for the Sun, Earth, and Mars
 - 3.2.1.4 Escaping the Influence of a Planet
 - 3.2.1.5 Earth and Mars Solar Orbit Velocities
 - 3.2.1.6 Hohmann Transfer to Mars
 - 3.2.1.7 Earth and Mars Low Orbit Velocities
 - 3.2.1.8 Earth Escape
 - 3.2.1.9 Mars Orbit Insertion - Part 1
 - 3.2.1.10 Summary of Transfers to and from Hohmann Orbit
 - 3.2.1.11 Orbital Period
 - 3.2.1.12 Mars Orbit Insertion - Part 2
 - 3.2.1.13 Summary
- 3.2.2 Mars Mission Duration and Propulsion Requirements*
- 3.2.3 More Realistic Models*

3.3 Earth to Low Earth Orbit

3.4 Departing from LEO

- 3.4.1 The delta-v requirement*
- 3.4.2 Mass sent toward Mars*
- 3.4.3 Nuclear Thermal Rocket for TMI*
- 3.4.4 Solar Electric Propulsion for Orbit Raising*

3.5 Mars Orbit Insertion

3.6 Ascent from the Mars Surface
3.7 Trans-Earth Injection from Mars Orbit
3.8 Earth Orbit Insertion

3.9 Gear Ratios

3.9.1 Introduction

3.9.2 Gear Ratio Calculations

3.9.3 Gear Ratio for Earth Departure

3.10 LEO to Mars Orbit

3.11 LEO to the Mars Surface

3.12 IMLEO for Mars Missions

3.12.1 Chemical Propulsion and Aero-Assist

3.12.2 Use of Nuclear Thermal Propulsion

3.12.3 Use of ISRU

4. Critical Mars Mission Elements

4.1 Life Support Consumables

4.1.1 Consumable Requirements (without recycling)

4.1.2 Use of Recycling Systems

4.1.3 Life Support Summary

4.2 Radiation Effects and Shielding Requirements

4.2.1 Radiation Sources

4.2.2 Definitions and Units

4.2.3 Radiation Effects on Humans and Allowable Dose

4.2.3.1 Allowable Exposure

4.2.3.2 Radiation Effects on Humans

4.2.4 Confidence Intervals and Point Estimates

4.2.5 Radiation in Space

4.2.6 Radiation Levels in Mars Missions

4.2.7 Radiation Summary

4.3 Effects of Microgravity

4.3.1 The Whedon-Rambaut Review of Low-g Effects

4.3.2 Artificial Gravity

4.3.3 NASA Plans for Low-g Effects

4.4 Abort Options and Mission Safety

4.4.1 Abort Options and Mission Safety in ESAS Lunar Missions

4.4.2 The Mars Society Mission

4.4.3 Abort Options Conclusions

4.5 Habitats

4.5.1 DRM-1 Habitats

4.5.2 DRM-3 Habitats

4.5.3 Dual Landers Habitat

4.5.4 The "MOB" Design

4.5.4.1 Basic design

4.5.4.2 ISRU

4.5.4.3 Habitat Mass

4.5.4.4 Habitat Structure

4.5.4.5 ECLSS

4.5.5 Sasakawa International Center for Space Architecture

4.5.5.1 Habitat Configurations

4.5.5.2 Logistic and Crew Support

4.5.6 Inflatable Habitats

4.6 Aero Assisted Orbit Insertion and Entry, Descent and Landing

4.6.1 Introduction

4.6.2 Challenges for Aero Assist Technology

4.6.2.1 Atmospheric Variations

4.6.2.2 Aeroshell Shape and Size

4.6.2.3 Supersonic Parachute

4.6.2.4 Landing Accuracy

4.6.3 Entry Descent and Landing Requirements for Human Missions to Mars

4.6.3.1 Initial results

4.6.3.2 Updated Results: 2006

4.6.4 Precision Landing

4.6.5 Development, Test and Validation Program

5. In Situ Utilization of Indigenous Resources

5.1 Value of ISRU

5.2 Lunar ISRU

5.2.1 Introduction

5.2.2 Potential Products of ISRU

5.2.2.1 Ascent Propellants

5.2.2.2 Life Support Consumables

5.2.2.3 Propellants Delivered to LEO from the Moon

5.2.2.4 Propellants Delivered to Lunar Orbit for Descent (and Ascent)

5.2.2.5 Regolith for Radiation Shielding

5.2.2.6 Visionary Concepts

5.2.3 Lunar Resources

5.2.4 Lunar ISRU Processing

5.2.4.1 Oxygen from FeO in Regolith

5.2.4.2 Oxygen from Regolith Silicates

5.2.4.3 Extracting Putative Volatiles

5.2.4.4 Utilizing Polar Ice Deposits

5.2.5 Cost Analysis for ESAS Lunar ISRU

5.2.6 A New Paradigm for Lunar ISRU

5.3 Mars ISRU

5.3.1 Introduction

5.3.2 Timeline for ISRU on Mars

5.3.3 Mars ISRU Products

5.3.4 Mars ISRU Processes

5.3.4.1 Oxygen-Only Processes

5.3.4.2 The Sabatier/Electrolysis Process

5.3.4.3 Timeline for ISRU

5.3.4.4 CO₂ Acquisition From the Mars Atmosphere

5.3.5 Mass and power requirements of a Mars ISRU system

5.4 Fueling Mars-Bound Vehicles from Lunar Resources

5.4.1 Introduction

5.4.2 Value of Lunar Water in LEO

5.4.2 Value of Lunar Water in LEO

5.4.3 Percentage of Water Mined on the Moon Transferred to LEO

5.4.3.1 Transfer via LL1

5.4.3.2 Dependence on Junction Site

5.5 Lunar Ferry for Descent Propellants

5.6 Staging, Assembly and Refueling in Near-Earth Space

5.6.1 Introduction

5.6.2 Mr. Griffin and Orbiting Fuel Depots

5.6.3 Propellants for Earth Departure

5.6.4 On-Orbit Staging

5.7 Transporting Hydrogen to Mars

5.7.1 Terrestrial vs. Space Applications

- 5.7.2 *Storage of Hydrogen in Various Physical and Chemical States*
 - 5.7.2.1 Storage as High Pressure Gas at ~ Room Temperature
 - 5.7.2.2 Storage as a Cryogenic Liquid
 - 5.7.2.3 Storage as a Dense Gas at Reduced Temperature
 - 5.7.2.4 Storage as Solid Hydrogen
 - 5.7.2.5 Storage as Solid-Liquid Slush
 - 5.7.2.6 Storage as Hydrogen at its Triple Point
 - 5.7.2.7 Storage as Adsorbed Hydrogen on a Sorbent
 - 5.7.2.8 Storage in Metal Hydrides
 - 5.7.2.9 Storage in Glass Microspheres
- 5.7.3 *Boil-off in Space*
 - 5.7.3.1 Rate of boil-off from MLI tanks
 - 5.7.3.2 Mass Effect of Boil-Off in Space
 - 5.7.3.3 Boil-Off Rate on Mars
- 5.7.4 *Zero Boil-off systems*
- 5.7.5 *Potential Space Applications for Hydrogen*
 - 5.7.5.1 Shuttle H₂ tanks
 - 5.7.5.2 Hydrogen Storage Trade Study for a Solar Electric Orbital Transfer Vehicle
 - 5.7.5.3 Estimates of Boil-Off by Lunar Mission Focused Study
 - 5.7.5.4 Transporting Hydrogen to the Lunar Surface
 - 5.7.5.5 Transporting Hydrogen to Mars for ISRU
- 5.7.6 *Summary and Conclusions*

6. Mars Mission Analysis

6.1 Previous Mars Mission Studies

- 6.1.1 *Office of Exploration Case Studies (1988)*
- 6.1.2 *Office of Exploration Case Studies (1989)*
- 6.1.3 *NASA 90-Day Study (1989)*
- 6.1.4 *America at the Threshold – "The Synthesis Group" (1991)*
- 6.1.5 *First Lunar Outpost (1993)*
- 6.1.6 *Human Lunar Return (1996)*
- 6.1.7 *Mars Exploration Design Reference Missions (1994–1999)*
- 6.1.8 *Decadal Planning Team/NASA Exploration Team (2000–2002)*
- 6.1.9 *Integrated Space Plan (2002–2003)*
- 6.1.10 *Exploration Systems Mission Directorate (2004-5)*
- 6.1.11 *Constellation (2006 -?)*

6.2 Mars Design Reference Missions (DRMs)

- 6.2.1 *DRM-1*
 - 6.2.1.1 Introduction
 - 6.2.1.2 DRM-1 Vehicles
 - 6.2.1.3 Mission Sequence
 - 6.2.1.4 Mars Ascent Vehicle (MAV)
 - 6.2.1.5 Surface Power
 - 6.2.1.6 Interplanetary Transportation System
 - 6.2.1.7 Launch Vehicles
 - 6.2.1.8 In Situ Resource Utilization
 - 6.2.1.9 Life Support Consumables
- 6.2.2 *DRM-3*
- 6.2.3 *Mass Comparisons: DRM-3 and DRM-1*
- 6.2.4 *The Dual Landers Reference Mission*
- 6.2.5 *Common Characteristics of 1990s JSC Mars DRMs*

6.3 Mars DRMs in the 2005-6 Era

- 6.3.1 *The ESAS Report Mars Plans*
- 6.3.2 *Mars DRM - 2006*

6.4 Non-NASA Design Reference Missions

- 6.4.1 Mars Direct*
- 6.4.2 The Mars Society Mission*
- 6.4.3 TeamVision Approach to Space Exploration*

6.5 The MIT Study

6.6 IMLEO for Human Missions to Mars

7. How NASA is Dealing with Return to the Moon

7.1 Introduction

- 7.1.1 Need for a Heavy Lift Launch Vehicle*
- 7.1.2 Urgency in Returning to the Moon at the Earliest Possible Opportunity*

7.2 Moon-Mars Connection

- 7.2.1 The Moon as a Means of Risk Reduction for Mars*
- 7.2.2 ISRU as a Stepping Stone from Moon to Mars*
- 7.2.3 The ESAS Viewpoint on Moon-Mars Connection*
- 7.2.4 A European Viewpoint*

7.3 Lunar Architecture Options

- 7.3.1 Zubrin's Analysis*
- 7.3.2 MIT Analysis*
- 7.3.3 The Broad Study*
- 7.3.4 The Focused Study*
- 7.3.5 Comparison of Broad and Focused Study Estimates of v*
- 7.3.6 ESAS Report v Estimates*
- 7.3.7 Lunar Orbit Rendezvous vs. L1 Rendezvous or Direct Return*
 - 7.3.7.1 Broad Study:*
 - 7.3.7.2 Focused Study:*
- 7.3.8 ESAS Report Architecture Comparison*

7.4 The ESAS Lunar Architecture

- 7.4.1 Description*
- 7.4.2 Independent Mass Estimates*

7.5 Do we need a CEV?

7.6 The NASA Lunar Architecture Process

8. Why the NASA approach will fail to send humans to Mars prior to 2080

8.1 Major differences between Mars and Lunar missions

8.2 NASA Naiveté on Mars Missions

8.3 Mars Architecture Planning

8.4 Need for new technology

- 8.4.1 Space Science Enterprise (SSE)*
 - 8.4.1.1 SSE Scope of Technology*
 - 8.4.1.2 Lead Centers*
 - 8.4.1.3 On Again/Off Again*
 - 8.4.1.4 ESS Technology Summary*
- 8.4.2 Human Exploration Technology*
- 8.4.3 Exploration Systems Research and Technology (ESRT)*

8.5 2020 Vision

8.6 Human Exploration Strategy

- 8.6.1 Background*
 - 8.6.1.1 Destination-Driven vs. Constituency-Driven Programs*
 - 8.6.1.2 The 2004-2005 Human Exploration Initiative*
 - 8.6.1.3 NASA Technology Planning and Development*
- 8.6.2 Current NASA Plans*
- 8.6.3 Recommended Strategy*

- 8.6.3.1 Propulsion Systems
- 8.6.3.2 Aero-Assisted Entry, Descent and Landing
- 8.6.3.3 Habitats and Capsules
- 8.6.3.4 Life Support Consumables
- 8.6.3.5 In Situ Resource Utilization
- 8.6.3.6 Power Systems
- 8.6.3.7 Site Selection
- 8.6.3.7 Precursor Missions at Mars
- 8.6.3.8 Mitigation of Dust Effects
- 8.6.3.9 Use of Moon for Testing and Demonstrations
- 8.6.3.10 Testing in Earth Orbit

8.7 Conclusions

Color Figures:

Glossary

Appendix I - Solar Energy on the Moon

A1.1. First Approximation to Lunar Orientation

A1.2. Solar Insolation on a Horizontal Surface

A1.3. Solar Insolation on a Vertical Surface

A1.4. Insolation on a Surface Tilted at Latitude Angle Toward the Equator

A1.5. A Surface that is always Perpendicular to the Solar Rays

A1.6. Effect of Non-Ideal Lunar Orbit

A1.7. Operating Temperature of Solar Arrays on the Moon

A1.9. Solar Energy Systems at the Equator

A1.9.1 Short-term Systems (< 354 hours)

A1.9.2 Long-Term Systems (> 354 hours)

A1.10. Effects of Dust

A1.11. Solar Energy Systems in Polar Areas

A1.11.1 Polar Sites

A1.11.2 GRC Solar Polar Study

Appendix II. Solar Energy on Mars

A2.1 Solar Intensities in Current Mars Orbit

A2.1.1 Introduction

A2.1.2 Irradiance in a Clear Atmosphere

A2.1.3 Effect of Atmosphere

A2.1.3.1 The Direct Beam

A2.1.3.2 Simple "Two-Flux" Model of Scattering and Absorption of Sunlight in the Mars Atmosphere

A2.2 Solar Intensities on a Horizontal and Tilted Surfaces

A2.2.1 Nomenclature

A2.2.2 Solar Intensity on a Horizontal Surface

A2.3 Solar Intensities on a Fixed Tilted Surface

A2.3.1 The Diffuse Component on a Tilted Surface

A2.3.2 Reflection From Ground in Front of Tilted Collector

A2.3.3 Total Intensity on a Tilted Surface

A2.3.4 Rotating Tilted Surfaces

A2.4 Numerical Estimates of Solar Intensities on Mars

A2.4.1 Solar Energy on Horizontal Surfaces

A2.4.1.1 Daily Total Insolation

A2.4.1.2 Hourly Insolation Patterns on a Horizontal Surface

A2.4.1.3 Total Insolation on a Horizontal Surface over a Martian Year

A2.4.2 Solar Intensities on Sloped Surfaces

A2.4.2.1 Fixed slope surfaces

A2.4.2.2 Rotating Sun-Facing Tilted Planes

A2.4.3 Solar Energy on Mars Over the Last Million Years

A2.4.3.1 Variations in the Mars orbit

A2.4.3.2 Insolation on horizontal surfaces over a million years

A2.4.3.3 Insolation on tilted surfaces over a million years

A2.5 Effect of Dust on Array Surfaces - Simple Models

A2.5.1 Introduction

A2.5.2 Optical Depth

A2.5.3 Particle Size Distribution

A2.5.4 Number of Dust Particles in Vertical Column

A2.5.5 Rate of Settling of Dust Particles

A2.5.6 Initial Rate of Obscuration

A2.5.7 Longer Term Buildup of Dust

A2.6 Pathfinder and MER Data on Dust Obscuration

A2.7 Aeolian Removal of Dust from Surfaces

A2.8 Obscuration Produced by Dust on Solar Arrays

A2.8.1 JPL Experiments - 2001

A2.8.2 Summary and Conclusions on Dust Obscuration

Appendix III. Water on Mars

A3.1 Introduction

A3.2 Background Information

A3.2.1 Temperatures on Mars

A3.2.2 Water Vapor Concentrations on Mars

A3.3 Equilibrium Models for Subsurface Ice

A3.3.1 Introduction

A3.3.2 Models for stability of subsurface ground ice on Mars - current conditions

A3.3.3 Long-term evolution of water on Mars

A3.3.4 Effect of Mars orbit variations during the past ~ 1 million years

A3.3.5 Evolution of South Polar Cap

A3.4 Experimental Detection of Water in Mars Subsurface by Neutron Spectroscopy from Orbit

A3.4.1 Introduction

A3.4.2 Original Data Reduction

A3.4.3 Modified Data Reduction

A3.4.4 Water content based on uniform regolith model

A3.4.5 Water content based on a two-layer regolith model at equatorial and mid-latitudes

A3.4.6 Interpretation of Depth from Neutron Measurements

A3.5 Comparison of Neutron Data with Physical Properties of Mars

A3.5.1 Surface and atmospheric properties

A3.5.2 Water Deposits vs. Topography at Low and Mid Latitudes

A3.5.3 Seasonal Distribution of Equatorial Near-Surface Water

A3.6 The Polar Caps

A3.7 Liquid Water on Mars

A3.7.1 Regions Where Surface Temperature Excursions Exceed 273.2 K

A3.7.2 Liquid Water Below the Surface

A3.7.3 Imaging Indications of Recent Surface Water Flows

A3.7.3.1 Gullies

A3.7.3.2 Surface Streaks

A3.8 Evidence from Craters

A3.8.1 Introduction

A3.8.2 The Work of Nadine Barlow (and Friends)

A3.8.3 Other Crater Studies

A3.8.4 Commentary

A3.9 Summary